Def	1 111	Seemah Owen	DDs	Deferre	Diam'	Time Circuit
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	"5764379"	USPAT	OR ·	OFF	2005/11/14 09:58
L2	5	"5,808,756"	USPAT	OR	OFF	2005/11/14 09:58
L5	141	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) with inclin\$5 and scan\$3	USPAT	OR ·	OFF	2005/11/14 10:02
L6	44	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) with inclin\$5 with image\$1 and scan\$3	USPAT	OR	OFF	2005/11/14 10:13
L7	714	358/1.12	USPAT	OR	OFF .	2005/11/14 10:13
L8	51	358/1.12 and book	USPAT	OR	OFF	2005/11/14 10:13
L9	38	358/1.12 and book and scan\$3	USPAT	OR	OFF	2005/11/14 10:13
S1	1	("5,362,958").PN.	USPAT	OR	OFF	2005/11/09 12:20
S2	1	("5,652,805").PN.	USPAT	OR	OFF	2005/11/09 12:20
S3	1	("5,995,245").PN.	USPAT	OR	OFF	2005/04/05 18:05
S4	1,	("5,808,756").PN.	USPAT	OR	OFF	2005/11/10 11:37
S5	24	"5,362,958", "5,995,245"	USPAT	OR	OFF	2005/04/05 18:13
S6	27	"5,362,958" "5,995,245" "5,808, 756"	USPAT	OR	OFF	2005/04/05 18:13
S 7	33	"5,362,958" "5,995,245" "5,808, 756" "5,652,805"	USPAT	OR	OFF	2005/04/05 18:14
S8	0	"5,362,958.pn." "5,995,245.pn." "5,808,756.pn." "5,652,805.pn."	UȘPAT	OR	OFF	2005/04/05 18:13
S9	4	("5,362,958" "5,995,245" "5,808, 756" "5,652,805").pn.	USPAT	OR	OFF	2005/04/07 16:56
S10	1	("5,362,958" "5,995,245" "5,808, 756" "5,652,805").pn. and (optical with edge)	USPAT	OR	OFF	2005/04/07 11:09
S11	6873	pre-processing	USPAT	OR	OFF	2005/04/07 11:09
S12	1153	pre-processing with image	USPAT	OR	OFF	2005/04/07 11:09
S13	263	pre-processing with image with signal	USPAT	OR	OFF	2005/04/07 11:20
S14	84	S13 and "382".clas.	USPAT	OR	OFF	2005/04/07 11:09
S15	14	S13 and scan\$4 and book	USPAT	OR	OFF	2005/04/07 11:09
S16	299	(pre-processing pre-scan) with image with signal	USPAT	OR	OFF	2005/04/07 11:20
S17	90	(pre-processing pre-scan) with image with signal and edge	USPAT	OR	OFF	2005/04/07 11:20
S18	1347	358/474.ccls.	USPAT	OR	OFF	2005/04/07 11:22

S19	77	358/474.ccls. and (pre-process\$3 pre-scan\$4)	USPAT	OR	OFF	2005/04/07 11:22
S20	4	("5,362,958" "5,995,245" "5,808, 756" "5,652,805").pn.	USPAT	OR	OFF	2005/04/07 16:56
S21	1	S20 and (position with camera)	USPAT	OR	OFF	2005/04/07 16:56
S22	14020	line adj image\$1	USPAT	OR	OFF	2005/11/08 12:32
S23	1737	(detect\$3 sens\$3) near5 (line adj image\$1)	USPAT	OR	OFF	2005/11/08 12:33
S24	418	S23 same (position height)	USPAT	OR	OFF	2005/11/08 12:33
S25	40	S23 same (position height) with (calculat\$3)	USPAT	OR	OFF	2005/11/08 12:33
S26	4	("5995245").URPN.	USPAT	OR	OFF	2005/11/09 11:07
S27	4	("5,362,958" "5652805" "5995245" "5808756").pn.	USPAT	OR	OFF	2005/11/09 12:27
S28	37	("5,362,958" "5652805" "5995245" "5808756")	USPAT	OR	OFF	2005/11/09 12:27
S29	33	("5,362,958" "5652805" "5995245" "5808756") and angle	USPAT	OR	OFF	2005/11/09 12:27
S30	12	("5,362,958" "5652805" "5995245" "5808756") and (angle near3 inclin\$5)	USPAT	OR	OFF	2005/11/09 15:13
S31	61213	(angle near inclin\$5)	USPAT	OR	OFF	2005/11/09 15:13
S32	1759	(angle near inclin\$5) with (calculat\$3 correct\$3)	USPAT	OR	OFF	2005/11/09 15:13
S33	573	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3)	USPAT	OR .	OFF	2005/11/09 15:13
S34	524	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) with inclinat\$3	USPAT	OR	OFF	2005/11/09 15:14
S35	573	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) with inclin\$5	USPAT	OR	OFF	2005/11/14 10:01
S37	16	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) and "358".clas.	USPAT	OR	OFF	2005/11/10 10:52
S38	. 16	(angle near inclin\$5) with (calculat\$3 correct\$3) with (detect\$3 sens\$3 determin\$3) and "358".clas.	USPAT	OR	OFF	2005/11/10 10:52
S40	39	"5416609"	USPAT	OR	OFF	2005/11/10 12:22
S41	11501	height with position with surface	USPAT	OR	OFF	2005/11/10 12:22
S42	494	S41 same scan\$4	USPAT	OR	OFF	2005/11/10 12:22

S43	1091	S41 with edge	USPAT	OR	OFF	2005/11/10 12:23
S44	18	S42 and S43	USPAT	OR	OFF	2005/11/10 12:23
S45	18	S42 and S43	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/10 12:23
S46	215	S41 with edge with distance	USPAT	OR	OFF	2005/11/10 12:24
S47	250	S41 with edge\$1 with distance	USPAT	OR	OFF	2005/11/10 12:24
S48	252	S41 with edge\$1 with distance\$1	USPAT	OR	OFF	2005/11/10 12:57
S49	17	S48 and scan\$4	USPAT	OR	OFF	2005/11/10 12:47
S50	137	light near2 section near2 method	USPAT	OR	OFF	2005/11/10 12:47
S51	78	light adj section adj method	USPAT	OR	OFF	2005/11/10 12:48
S52	2	S41 with edge\$1 with distance\$1 and "358".clas.	USPAT	OR	OFF	2005/11/10 12:58